



ANALYZER OVERVIEW

Diatron has utilized its many years of expertise in developing and manufacturing hematology analyzers for the human clinical market to produce this veterinary analyzer for exclusive use in the animal healthcare field.The Abacus Vet5 features a large touch screen and has an intuitive user interface to offer an optimal solution for veterinary clinics and practices which require a high quality hematology analyzer.

BENEFITS AND KEY FEATURES

EASY TO USE

 With its large capacitive touch screen and user-friendly interface allows accurate data entry and monitoring of results and histograms enabling fast and efficient operation. Results can be retrieved via an on-board or an external printer. For those environments requiring it, the system can connect to a Laboratory Information System (LIS) using the HL7 communication protocol.

HIGH PERFORMANCE

 The Abacus Vet5 offers 5-part differential WBC results on Dog, Cat, Cattle, Horse and 3-part differential WBC results on Mouse, Rat, Rabbit, Ferret, Sheep, Goat, Pig, Guinea Pig and Primates.

CONVENIENT

 Its compact size and associated reagent pack mean that the system requires only a small space and storage and shipping of reagents is simple.

RELIABLE AND EFFICIENT

 Each Abacus Vet5 analyzer is almost maintenance-free resulting in minimal downtime and can store up to 5000 results.

Abacus Vet 5

DIATRON REAGENTS

Our ISO 13485 certified reagent production is designed to meet the highest quality standards with all lots performance tested before release for sale. The Diatro•Lyse-Vet is cyanide-free and all reagents have an unopened shelf life up to 36 months when stored appropriately. The use of the hardware key ensures that only Diatron reagents can be used thus ensuring the best performance and quality of results.



	Name and 10:38
	Туре
	Dog
Sar	Cat
Тур	Horse
Pat	Cattle
Nar	Sheep
Age	Goat
Gei	Pig
Doc	Mouse
Pre	Rat
Cha	Rabbit
Sar	Ferret
	Guinea pig
	Primate
	Control
Wa	Kiist Canćel

	Dat	09:3 AM	
PID		08/10/2015 04	
SID	00001	Туре	Dog
WBC		• WBC	
LYM	2.00 10%		
MON	0.26 10%		
NEU		• 1. 1/	
EOS		•	
BAS	0.57 10%	40 156 162	
LYM%		EOS	
MON%		1 1	
NEU%			
EOS%			
BAS%			
RBC	3.19 10 ¹² /I		
	11.2 g/dl	RBC	
HCT		-] :	
MCV	102 fl	• /\·	
MCH	35.0 pg	• / \ \ .	
MCHC	34.3 g/dl		
RDWc	14.5 %		200fl
RDWs		PLT	
PLT	153 10%	•1	
MPV	17.3 fl	÷	
PCT	0.26 %		
PDWc	45.5 %		_
PDWs	31.4 fl	37	501
			-

SPECIFICATIONS

SAMPLES

- Throughput: Up to 25 samples/hour
- Parameters: 24 hematology parameters, including
 5-part WBC differential: WBC, LYM, MON, NEU, EOS,
 BAS, LYM%, MON%, NEU%, EOS%, BAS%, RBC, HCT,
 MCV, RDWc, RDWs, HGB, MCH, MCHC, PLT, PCT,
 MPV, PDWc and PDWs

TECHNOLOGY

- Volumetric Impedance measurement
- Light absorbance measurement for HGB
- Sample volume: 25/50 µl of whole blood in 3/5 part mode
- Sampling method: Open tube system

SAMPLE PROFILES

- Five-part mode: Dog, cat, horse and cattle
- Three-part mode: Mouse, rat, rabbit, ferret, pig, sheep, goat, guinea pig and primates

REAGENTS

- Reagent pack containing Isotonic Diluent (Dil Vet), Lyse Vet, Diff Vet5, Cleaner and Rinse Vet
- Diatro•Vet5 Reagent Pack: Up to 200 measurements*
- Hardware key protected pack

Diatro•Vet5 Reagent Pack

USER INTERFACE

- Easy-to-use, menu driven user interface
- Screen type: Capacitive 8" (173 x 104 mm), LED backlit, color graphics LCD
- Data storage capacity: Up to 5000 results, including histograms

- Printer options: Built in thermal printer (58 mm wide paper)
- LJ charts: Trend function allows to display with a Levey-Jennings chart the selected records from the database
- Screen resolution: 480 x 800
- User language: English, French, German, Spanish, Italian, Czech, Polish, Russian, Chinese

COMMUNICATION PROTOCOL

- ASCII-based communication protocol only
- HL7 communication

TECHNICAL FEATURES

- Cleaning functions: Automatic Self Clean, Clean Washhead, Drain Chamber, Hard Cleaning,
 5 Cycle Clean, Bleaching
- Export function: 3 level export type: Simple, Advanced, Extended
- Optional barcode reader for sample ID and QC Data upload

PHYSICAL PARAMETERS

- Size (Width x Depth x Height)
 32 cm x 28 cm x 37 cm
 12" x 11" x 15"
- Weight: 13 kg, 29 lbs
- Power supply: 100-240 V AC, 12 V DC

COMMUNICATION INTERFACE

- LAN
- USB
- * Please note this is the maximum number of measurement credits achievable, and varies on a number of factors

SAP No	Cat. No.	Product name	Pack size
10023359	DRP02HK	Diatro•Dil-Vet	101
		Diatro•Lyse-Vet	200 ml
		Diatro•Diff-Vet5	800 ml
		Diatro•Rinse-Vet	500 ml
		Diatro•Cleaner	300 ml
10023301	D8011	Diatro•Hypoclean CC	100 ml
Analyzer			
Description	Catalogue No.	SAP No	
Abacus Vet5	AV5	10022526	

diatron

We are a member of the STRATEC Group I www.diatron.com I sales@diatron.com

Diatron MI Zrt makes best efforts to provide accurate information and specifications herein, whereby it may be possible for omissions or errors to have occurred. Diatron MI Zrt shall have no liability for the accuracy and completeness of the information and cannot be held liable for any representations or warranties, expressed or implied, and any third party claims or losses of any damages. Diatron MI Zrt reserves the right to make any changes to the information, including specifications, without notice. The applications and products herein may not be available in all markets. ©2019, Diatron MI Zrt, Hungary, all rights reserved.

Version Nr. AV5190528V6